

Form PRO-05 Version 1.4

NATIONAL CALL FOR TENDER ACTED Iraq INSTRUCTIONS TO BIDDERS

Date: 27/05/2019

Tender N°: T/10DJY/D13/QIP/ERB/27/05/2019001

ACTED (Agency for Technical Cooperation and Development) is implementing a humanitarian aid project and inviting contractors to provide detailed written quotations for rehabilitation of Garbage trucks and other vehicle in Tel Afar:

GENERAL WORKS DESCRIPTION:

1. Description: REPAIRS OF GARBAGE TRUCKS AND OTHERS VEHICLES

Contractor is responsible for all kind of works, which include professional and technical services, supplies, equipment and materials, labour force, freight costs, installation costs, configuration, testing and operation and all related works/services to provide a fully operational facility, structure and equipment

according to suggested standards.

2. Product class / category: Works

3. Product stage: Finished / ready to use

4. INCOTERM: DDP (Ninewa Governorate \ Telafar District \ Al-Rabea

(Delivery conditions) Neighborhood \ Telafar Municipality Office \ GPS Coordinates:

36.379692, 42.447387)

5. Quantities and specifications: As per request during the validity of the contract

TENDER PROCESS TIMEFRAME

02/06/2019 – 11:00 AM: Presentation session of the tendering document and tendering process ACTED representative office in Tel Afar, IRAQ, Al wahda Street

09/06/2019 - 12:00 PM: Site visit* organised by ACTED

ACTED representative office in Tel Afar, IRAQ, Al wahda Street

*Bidders who are interested, should submit a written confirmation by e-mail to: <u>iraq.tender@acted.org</u> prior to the date of the site visit.

16/06/2019 - 17: 00 PM: Bid closing date

Any and all bids submitted after this date will not be considered eligible.

ACTED representative office in Erbil, IRAQ (6th street, Khabat street) on the right after Ankawa intersection, 1st street on the right, House #: 240/1/467 Hadiyab quarter, Ainkawa, Erbil, Iraq)

ACTED representative office in Mosul, IRAQ, Mosul, Al wahda district, befor Al sabawi st. Traffic light, house No: 85/72 near Al-Salam Mosque

ACTED representative office in Dohuk, Golvin 67 St. Malta Islam Quarter - Dohuk 3rd Street from Malta Hill Traffic Light to Down Town

ACTED representative office in Tel Afar, IRAQ, Al wahda Street

18/06/2019 - 10:00 AM: Opening session of the tendering for the technical offer

ACTED representative office in Erbil, IRAQ (6th street, Khabat street) on the right after Ankawa intersection, 1st street on the right, House #: 240/1/467 Hadiyab quarter, Ainkawa, Erbil, Iraq)





RESPONSIBILITIES OF THE CONTRACTOR:

Terms of delivery: As per specific conditions below

2. Date of delivery: Preferred: within 10 days after contract signature

3. Validity of the offer: **Recommended**: 6 months

4. Payment terms: 30 days after completion of services

GENERAL CONDITIONS:

1. The **closing date** of this tender is fixed **on** <u>16/06/2019</u> **at 17:00 (Iraqi time)** in ACTED Iraq representative office at the following address:

ACTED representative office in Erbil, IRAQ (6th street (Khabat street) on the right after Ankawa intersection,1st street on the right, House #: 240/1/467 Hadiyab quarter, Ainkawa, Erbil, Iraq)

ACTED representative office in Mosul, IRAQ, Mosul, Al wahda district, befor Al sabawi st. Traffic light, house No: 85/72 near Al-Salam Mosque

ACTED representative office in Dohuk, Golvin 67 St. Malta Islam Quarter - Dohuk 3rd Street from Malta Hill Traffic Light to Down Town

ACTED representative office in Tel Afar, IRAQ, Al wahda Street

Or emailed to both: iraq.tender@acted.org Cc tender@acted.org. In case of electronic submission, please:

- Mention the tender reference number mentioned above in the subject tab.
- Fill the tender document, sign, stamp, scan and send them. Electronic stamp and signatures are not acceptable.
- 2. All documents shall be submitted in English. Certificates and official documents shall be submitted in English, Kurdish and/or Arabic.
- 3. Prices should be defined in USD (United States Dollar)
- 4. Bidders should fill, sign, stamp and return the Offer form according to ACTED format.
- 5. Bidders will sign and return all pages of tender's documents for which they apply.
- 6. The offer to the call for tender will not result in the award of a contract.
- 7. The resulted contract of this tender does not imply in an exclusive clause for the hereby mentioned services.
- 8. The offer must be submitted to ACTED purchase department in a sealed envelope with the mention "T/10DJY/D13/QIP/ERB/27052019/001- not to be opened before 16/06/2019" and include :
 - Signed and stamped "Instructions to Bidders" 'Bidders questionnaire" and "ethical declaration"
 - Company registration papers (Valid).
 - List and evidence of experience undertaking similar work
 - Other supporting documents (If applicable).
 - Datasheets, catalogues, or any other supporting technical documents are appreciated.
 - Signed and stamped financial offer form.
 - Full bidder's name and address.
 - Copy of the bidder's Identification Documents (ID).
 - Offer validity (Recommended 6 months or more).
- 9. Late Bids will be automatically rejected.
- 10. Unsealed envelopes and late offers will not be considered.





- 11. The answers to this tender should include a written quotation including all the service specifications, the price per unit and other relevant information for this tender.
- The quantities and specifications may be subject to change based on the project's scope of work reassessed at field level.
- 13. In case of error when writing the prices, please discard the page. Any alterations, including the use of correction fluid (white ink), will render your offer invalid.
- 14. Please note that ACTEDwill need to follow EuropeAid's Guidelines concerning the origin of supplies. For more information, EuropeAid procurement guidelines are fully detailed in PRAG. In particular, rules of origin & nationality are detailed in section 2.3.1 of PRAG2015, and further in annex A2A.
 - (http://ec.europa.eu/europeaid/prag/welcome.do?header_description=Manuel+DEVCO+des+procedures +financi%E8res+et+contractuelles+Applicable+aux+actions+ext%E9rieures+financ%E9es+par+le+budg et+g%E9n%E9ral+de+LUE+et+du+11e+FED&header_keywords=ePrag+%2C+europa&locale=en).
- 15. ACTED reserves the right to exclude products or reject bids from certain origins with regard to guidelines of EuropeAid (please refer Annex a2a_ecprogrammes_eligibility2014_2020_en (1))
- 16. To ensure that funds are used exclusively for humanitarian purposes and in accordance with donors' compliance requirements, all contract offers are subject to the condition that contractors do not appear on anti-terrorism lists, in line with ACTED anti-terrorism policy. To this end, ACTED reserves the right to carry out anti-terrorism checks on contractor, its board members, staff, volunteers, consultants, financial service providers and sub-contractor.

NOTE: ACTED adopts a zero tolerance approach towards corruption and is committed to respecting the highest standards in terms of efficiency, responsibility and transparency in its activities. In particular, ACTED has adopted a participatory approach to promote and ensure transparency within the organization and has set up a Transparency focal point (Transparency Team supervised by the Director of Audit and Transparency) via a specific e-mail address. As such, if you witness or suspect any unlawful, improper or unethical act or business practices (such as soliciting, accepting or attempting to provide or accept any kickback) during the tendering process, please send an e-mail to transparency@acted.org.

SPECIFIC CONDITIONS

- 1. Bidders should provide their offer in accordance to the BoQ and Technical Specifications provided.
- 2. Bidders must present a valid copy of all their registration within Ninawa Governorate Federal Iraq, or demonstrate capacity to be legally able to work in the area before the signature of the contract.
- 3. Proof of past experience shall be provided by the bidder.
- 4. Bidders shall specify the lead time for the delivery upon submission of the orders in the tender documents.

SELECTION CRITERIA:

OFFERS RECEIVED WILL BE EVALUATED BASED ON THE FOLLOWING CRITERIA:
60% TECHNICAL PROPOSAL 30% FINANCIAL PROPOSAL 10% PAST EXPERIENCE

The following criteria will be considered:

- Best quality
- Best price
- Accuracy in terms of quality and quantity
- Best lead time
- Past performance and experience with INGOs.

Company Name:	
Authorized Representative Name:	
Signature and stamp:	





		OFFER	R FORM ACTED	raq	
<u>Date</u> :					
<u>Tender</u>	<u>N°</u> : T/10DJY/D13/QIP/ERB/270520	019/001			
		To be Filled	l by Bidder (COMPUI	LSORY)	
<u>Details</u>	of Bidding Company:				
1.	Company Name:	()		
2.	Company Authorized Representative Na	ame: <u>(</u>	<u> </u>		
3.	Company Registration No:	(<u> </u>		
		No/Country/ Ministry			
4.	Company Specialization:		<u> </u>		
5.	Mailing Address (Physical Address):	()		
		Country/Governorate./City/St name/Shop-	Office No		
	a. Contact Numbers:	(Land Line:	/ Mobile No:	<u>)</u>	
	b. E-mail Address:	(<u> </u>		
respons	rsignedsibilities that I engage myself to follow.	, agree to provide ACTED, non-p	profit NGO, with items ans	wering the following specification	ons, according to the general conditions and

PLEASE FILL IN THE FOLLOWING TABLES:

NOTE: PLEASE KINDLY NOTE THAT ALL THE PRICES SUBMITTED SHALL INCLUDE ALL AUXILIARY MATERIALS NECESSARY TO THE REPAIRS OF THE VEHICLES





LOT 1- REPAIRS OF GARBAGE TRUCKS AND OTHERS VEHICLES

Items	Description		Unit	Total price (USD)		
	Repairs of Grader KOMATSU GD555-5 Model: 2012					
1	Supply materials, equipment, and labor to Repair Injectors of engine: size 6-cylinder, HP 146 KW type GD 555-5, serial number: 55247, operational load: 15166.	تجهيز المواد والمعدات والعمالة لتعمير انجكترات لمحرك : حجمه 6 سلندر ,بقوة حصانية 146 كيلو واط نوع الكريدر 5-555 GD, الرقم التسلسلي: 55247 , الحمل التشغيلي : 15166 .	Lump Sum			
2	Supply materials, equipment, and labor to maintenance and repair electric network in the Grader truck GD 555-5, which includes (dynamo, predecessor, headlights and backlight, ECU, Gauges-display screen, etc.)	تجهيز المواد والمعدات والعمالة لصيانة وتصليح الكهربائيات في شاحنة كريدر 5-555 GD والتي تتضمن (دينامو ، سلف ، المصابيح الأمامية والإضاءة الخلفية ، وحدة التحكم الإلكترونية ، شاشة عرض المقابيس ، الخ).	Lump Sum			
3	Supply filters compatible with Komatsu GRADER Models: 2012 GD555-5: 1 Piece/Oil filter NO.6736-51-5142 Size of thread 1 "-16 Outer diameter 94 mm Height 167 mm 1 Piece/Fuel filter No.600-311-9121 Size of thread 1 "-14 Outer diameter 94 mm Height 188 mm 1 Piece/Air filter No.600-185-5100 Outer diameter 281mm Internal diameter 148mm Height 405mm Material HV Air Filter Paper	تجهيز فلاتر متوافقة مع موديل Komatsu GRADER: GD555 2012 1 قطعة / فلتر الزيت	Lump Sum			



	Supply engine starter compatible with Komatsu GRADER Models: 2012 GD555-5, With the following specification:	تجهيز سلف متوافق مع موديل -Komatsu GRADER: 2012 GD555		
	Voltage 24 volts	الجهد 24 فولت	1	
4	Energy 90 amp	الطاقة 90 أمبير	Lump Sum	
	Dimensions 21 x 10 x 10 inches	الأبعاد 21 × 10 × 10 بوصة		
	Weight 21 pounds	الوزن 21 باوند		
	Supply materials, equipment, and labor to install glass doors & windows compatible with Komatsu GRADER Models: 2012 GD555-5, with the following specifications:	تجهيز المواد والمعدات والعمالة لتثبيت الأبواب الزجاجية والنوافذ المتوافقة مع موديل GRADER: 2012 GD555-5 Komatsu ، بالمواصفات التالية:		
	Right Door/ Glass of 3 parts:	الباب الايمن / الزجاج من 3 أجزاء:		
	1st part of the Right- Door/Measurements: 5 mm Thick, 740 mm Width, 1450 mm Height	الجزء الأول من الباب الأيمن / القياسات: السمك 5 ملم ، العرض740 ملم ، الارتفاع 1450 ملم		
	2nd part of the Right- Door/Measurements: 5 mm Thick, 765 mm Wide, 580 mm Heigh	الجزء الثاني من الباب الأيمن / القياسات:السمك 5 ملم ،العرض 765 ملم ، الارتفاع 580 ملم		
5	3rd part of the Right- Door/ Measurements: 5 mm Thick, 382,5 mm Wide, 290 mm Height	الجزء الثالث من الباب الأيمن/القياسات: السمك 5 ملم ، العرض 382.5 ملم ، الارتفاع 290 ملم	Lump Sum	
	Left Door/Glass	الباب الأيسر / الزجاج		
	2 PCS of Measurements: 5 mm Thick, 750 mm Width, 1435 mm Height	2 قطعة من القياسات: 5 ملم السمك، 750 ملم العرض ، 1435 ملم الارتفاع		
	Back window/Glass	النافذة الخلفية / الزجاج		
	Measurements: 5 mm Thick, 930 mm width, 827, mm Length	القياسات:السمك 5 ملم ، العرض 930 ملم ، 827 ملم الطول		
	Front Upper Windowpane/Glass	زجاج النافذة العلوي الأمامي / الزجاج		
	Measurements: 5 mm Thick, 699 mm Wide, 1016 mm Height	القياسات: 5 ملم السمك ، 699 ملم العرض، 1016 ملم الارتفاع		



6	Supply materials, equipment, and labor to compress hydraulic hoses compatible with Komatsu GRADER Models: 2012 GD555-5,with the following specifications: 4 pieces hoses for leveling Blade of the Hydraulic System: Standby pressure 3447.4 kPa	تجهيز المواد والمعدات والعمالة لكبس الخراطيم الهيدروليكية المتوافقة مع GRADER Models: 2012 GD555-5 Komatsu ، بالمواصفات التالية: 4 خراطيم لشفرة التسوية النظام الهيدروليكي: ضغط الاستعداد 3447.4 كيلو باسكال	Lump Sum	
	Maximum system pressure 20684.3 kPa Output 200 L/min	الحد الأقصى لضغط النظام 20684.3 كيلو باسكال الناتج 200 لتر / دقيقة		
7	Supply materials, equipment, and labor to install (5 pieces) Square Spot 4"LED Work light with the following specifications: Weight :4 pounds Dimensions:4 x 6 x 6 inches Color black Voltage:12 volts Wattage :10 watts Type of Bulb LED Luminous Flux 860 Special Features:Waterproof	تجهيز المواد والمعدات والعمالة لتثبيت (5 قطع)بلاجكتور صغير مربع يحتوي على LED "4 ضوئي بالمواصفات التالية: : الوزن: 4 باوند الأبعاد: 4 × 6 × 6 بوصات لون أسود لون أسود الجهد: 12 فولت القوة الكهربائية: 10 واط نوع من لمبة LED التدفق الضوئي 860 الميزات الخاصة: ضد الماء	Lump Sum	
8	Supply battery (2 pieces) compatible with Komatsu GRADER Models: 2012 GD555-5, with the following specifications: Capacity 120 A Type:Dry Charged Battery Voltage:12V Size:506mm*180mm*207mm*231mm, Weight:18.8kg CERTIFICATE: ISO9001.	تجهيز بطارية (قطعتين) متوافقة مع موديل :Komatsu GRADER مبالمواصفات التالية: 120 5-55555 مبالمواصفات التالية: السعة 120 أمبير النوع: بطارية شحن جاف النوع: بطارية شحن جاف الجهد:12 فولت الحجم: 506 ملم *180 ملم *231ملم الوزن: 18.8كغم الشهادة: ISO9001.	Lump Sum	
9	Supply Tire (4 pieces) compatible with Komatsu GRADER Models: 2012 GD555-5, with the following specifications: Tire size 14.00 – 24 TG-02 (R-4) 153 A8	تجهيز إطار (4 قطع) متوافقة مع موديل Komatsu GRADER: 2012	Lump Sum	



	Load index / Speed symbol 153 A8	مؤشر الحمولة / رمز السرعة 153 A8		
	Ply Rating 16	رقائق تصنيف 16		
	Section Width (mm) 362	عرض المقطع 3 (ملم) 362		
	Max. Overall Width (mm) 391.000	لعرض الكلي (ملم) 391.000		
	Overall diameter (mm) 1,348	القطر الكلي (ملم) 1،348		
	Loaded Static Radius (mm) 608	نصف القطر الثابت للتحميل (ملم) 608		
	Rolling Circumference (mm) 3,975	محيط الدوران (ملم) 3975		
	Tread Pattern Depth (mm) 25	عمق الخطوط في العجلة (ملم) 25		
	Tire Weight (kg) 89	وزن الإطار (كغم) 89		
	Nominal Load Capacity (kg) 3,650	الحمولة الاسمية (كغم) 3،650		
	Nom. Inflation Pressure (bar) 3.8	حركيا. ضغط التضخم (بار) 3.8		
	Tubeless	بدون انبوب		
	Overall Diameter (mm) 1,392	القطر الكلي (ملم) 1،392		
	Supply blade compatible with Komatsu GRADER Models: 2012 GD555-	تجهيز شفرة متوافقة مع موديل GRADER: GD555 2012 Komatsu		
	5, with the following specifications:	، بالمواصفات التالية:		
	Moldboard side shift: Right 820 mm	تحول جانبي للوحة التشكيل: يمين 820 ملم		
	Moldboard side shift: Left 820 mm	تحول جانبي للوحة التشكيل: يسار 820 ملم		
	Maximum shoulder reach outside rear tyres (frame straight): Right 2000	أقصى امتداد للكتف خارج الإطار ات الخلفية (إطار مستقيم): يمين 2000 - ا		
	mm	2000 ملم		
40	Maximum shoulder reach outside rear tyres (frame straight): Left 2000 mm	أقصى امتداد للكتف خارج الإطارات الخلفية (إطار مستقيم): يسار 2000 ملم		
10	Maximum lift above ground 480 mm	2000 منم الحد الأقصى للرفع فوق الأرض 480 ملم	Lump Sum	
	Maximum cutting depth 615 mm	الحد المصطفى طراح عولى المراحض 460 سم أقصى عمق للقطع 615 ملم		
	Maximum blade angle 90 degrees	المصنى صلى مصنى 100 مسم أقصىي زاوية شفرة 90 درجة		
	Blade tip angle 40 ° forward, 5 ° backward	مستعى راوي مسره 10 درج زاوية طرف الشفرة 40 درجة للأمام و 5 درجات للخلف		
	Circle center shift: Right 590 mm	روي سرك المساره 40 مرج عرب موتاني المراقع المركز الدائرة: يمين 590 ملم		
	Circle center shift: Left 550 mm	تحول مركز الدائرة: اليسار 550 ملم تحول مركز الدائرة: اليسار 550 ملم		
	Blade Length 3.8 m	طول شفرة 3.8 م		
	Diado Longin o.o m	ا کون مسره ه.دم		



	Blade Down pressure 8768 kg	ضغط الشفرة للأسفل 8768 كغم		
	Blade pull 11412 kg	سحب شفرة 11412 كغم		
	Garbage truck I	MAN TGL-8.150 Model :2012 :		
	Supply battery (2 pieces) compatible with the Garbage truck MAN TGL 8.150,with the following specifications:	تجهيز بطارية (قطعتين) متوافقة مع شاحنة القمامة MAN TGL 8.150 ، المواصفات التالية:		
	Type: Dry Charged Battery	النوع: بطارية شحن جافة		
	Nominal voltage: 12V Capacity : 90Ah	الجهد الاسمي: 12فولت الطاقة : 90 أمبير		
1	Dimensions: (L) 305 x 173 x (H) 225mm	الأبعاد: (طول) 305 × 173 × (ارتفاع) 225 ملم	Lump Sum	
	Net weight: 12.5kg Materials:	الوزن الصافي: 12.5 كغم المواد:		
	ABS container	المواد: حاوية ABS		
	99.99% lead plate	99.99 ٪ لوحة الرصاص		
2	Supply front bumper compatible with Garbage truck MAN TGL 8.150 with the following specifications:	تجهيز دعامية امامية متوافقة مع شاحنة القمامة MAN TGL 8.150 بالمواصفات التالية:	Lumana Cuma	
2	Dimensions (Height 400mm, Length 2240 mm)	الأبعاد (الارتفاع 400 ملم ، الطول 2240 ملم) مصنوعة من الألياف الزجاجية	Lump Sum	
	Made of fiberglass	مصنوعة من الالياف الرجاجية تجهيز المواد والمعدات والعمالة لتبديل محرك متوافق مع شاحنة القمامة		
	Supply materials, equipment, and labor to replace engine compatible with Garbage truck MAN TGL 8.150 with the following specifications:	تجهير المواد والمعدات والعمالة تبدين محرث متواهى مع ساكلة العمامة. 8.150 MAN TGL بالمواصفات التالية:		
	Number of cylinders: 4	عدد الاسطوانات: 4		
	Nominal power output: 151 kW/180 hp	الطاقة الاسمية المنتجة: 151 كيلو واط/ 180 حصان		
	Nominal engine speed: 2400/min	السرعة الاسمية للمحرك: 2400 / دقيقة		
3	Number of valves: 4 per Cylinder	عدد الصمامات: 4 لكل اسطوانة	Lump Sum	
	Nominal torque acc. To ISO 1585, 88/195 EWG: 830 Nm	عزم الدوران الاسمي /التعجيل 1585 EWG: 830 195/88 ، ISO التعجيل 195/88 ، Nm		
	At engine speed: 1400/min	في سرعة المحرك: 1400 / دقيقة		
	Displacement: 4.58 liters	الإزاحة: 4.58 لتر		
	Compression ratio: 17.3:1	نسبة الضغط: 17.3: 1		



	Torque increase: 38%	زيادة عزم الدوران: 38 ٪		1
	Mean effective pressure at nominal torque: 19.2 bar	متوسط الضغط الفعال عند عزم الدوران الاسمي: 19.2 بار		
	Minimum specific fuel consumption: 202 g/kwh	الحد الأدنى لاستهلاك الوقود المحدد: 202 غم /كيلووات ساعة		
	Minimum engine idle speed (off-load): 700/min	الحد الأدنى لسرعة التباطئ في المحرك (خارج التحميل): 700 / دقيقة		
	Maximum engine idle speed (off-load): 2650/min	أقصى سرعة لتباطئ المحرك (خارج التحميل): 2650 / دقيقة		
	Governed engine speed limit (on load): 2430/min	حد سرعة المحرك المحكومة (عند الحمل): 2430 / دقيقة		
	Exhaust emission control: PM-KAT	التحكم في انبعاثات العادم: PM-KAT		
	Supply materials, equipment, and labor to install Light bulb compatible with Garbage truck MAN TGL 8.150, with the following specifications:	تجهيز المواد والمعدات والعمالة لتثبيت المصباح الكهربائي المتوافق مع شاحنة القمامة MAN TGL 8.150 ، بالمواصفات التالية:		
	• Low beam light (2 pieces):	 ضوء منخفض (قطعتين): 		
	Voltage: 24 V	الجهد: 24 فولت		
	Power in watts:70 W	الطاقة: 70 واط		
	Bulb socket base: px26d	قاعدة لمبة المقبس: px26d		
	High beam light Double power (2 pieces):	 ضوء عالي قوة مزدوجة (2 قطعة): 		
	Voltage: 24 V	الجهد: 24 فولت		
	Power in watts:70 W	الطاقة: 70 واط		
	Bulb socket base: px26d	قاعدة لمبة المقبس: px26d		
4	Fog lamp light (2 pieces):	• مصباح الضباب (قطعتين):	Lump Sum	
	Voltage: 24 V	الجهد: 24 فولت		
	Power in watts:70 W	الطاقة : 70 واط		
	Bulb socket base: px26d	قاعدة لمبة المقبس: px26d		
	Front indicator light (4 pieces):	• المؤشر الأمامي (4 قطع):		
	Voltage:24 V	الجهد: 24 فولت		
	Power in watts: 21 W	الطاقة: 21 واط		
	Bulb socket base:BA15s	قاعدة لمبة المقبس: BA15s		
	Stop lamp light (2 pieces):	• مصباح توقف (قطعتان):		
	Voltage: 24 V	الجهد: 24 فولت		
	Power in watts:21 W	الطاقة: 21 واط		



	Bulb socket base : BA15s	قاعدة لمبة المقبس: BA15s		
	Back-up light (2 pieces):	• ضوء احتياطية (2 قطعة):		
	Voltage: 24 V	الجهد: 24 فولت		
	Power in watts:21 W	الطاقة : 21 واط		
	Bulb socket base: BA15s	قاعدة لمبة المقبس: BA15s		
	Supply materials, equipment, and labor to install glass doors & front window compatible with Garbage truck MAN TGL 8.150, with the following specifications:	تجهيز المواد والمعدات والعمالة لتثبيت زجاج الباب و النافذة الأمامية المتوافقة مع شاحنة القمامة MAN TGL 8.150 ، بالمواصفات التالية:		
5	front window/Glass:Thickness of 5 mm, Width 2 meter , Height is 0,9 meter	النافذة الأمامية / الزجاج: السمك 5 ملم ، العرض 2 متر ، الارتفاع 0،9 متر	Lump Sum	
	Right Door/ Glass :Thickness of 5 mm, Width 1.2 meter, Height is 0.75 meter.	مىر الباب الأيمن / الزجاج: سمك 5 ملم ، عرض 1.2 متر ، الارتفاع 0.75 متر.	'	
	Left Door/GlassThickness of 5 mm, Width 1.2 meter, Height is 0.75 meter.	الباب الأيسر / زجاج بسمك 5 ملم ، العرض 1.2 متر ، الارتفاع 0.75 متر . متر .		
	REPAIRS OF TIPPER TRUCK	VOLVO MODEL: 1980 TRUCK NO. : 5429 :		
	Supply Tire(4 pieces) compatible with Tipper Truck VOLVO	تجهيز اطار (4 قطع) متوافقة مع شاحنة قلاب VOLVO		
	Model: 1980 ,with the following specifications:	موديل: 1980 ، بالمواصفات التالية:		
	Tire size: 12.00-24	حجم الإطار 12.00-24		
1	Tire Design: Radial	تصميم الإطار: دائرية	Lump Sum	
	Width 255mm	العرض 255 ملم		
	Diameter: 21" - 24"	القطر: 21 "- 24"		
	Supply battery (2 pieces) compatible with Tipper Truck VOLVO	تجهيز بطارية (2 قطعة) متوافقة مع شاحنة قلاب VOLVO		
	Model: 1980, with the following specifications:	موديل: 1980 ، بالمواصفات التالية:		
2	Capacity 120 A	الطاقة 120 أمبير	Lump Sum	
	Type: Dry Charged Battery	النوع: بطارية شحن جافة	,	
	Voltage:12V	الجهد: 12 فولت		



	Size:506mm*180mm*207mm*231mm,	الحجم: 506 ملم *180 ملم *207 ملم *231ملم		
	Weight:18.8kg	الوزن: 18.8 كغم		
	CERTIFICATE:ISO9001.	شهادة: ISO9001.		
	REPAIRS OF TRACTOR NEW HOLL	AND MODEL: 2005CHASSIS NO. : HFB091547 :		
	Supply battery (1 piece) compatible with Tractor New Holland, with the	تجهيز بطارية (قطعة واحدة) متوافقة مع Tractor New Holland ،		
	following specifications:	بالمو اصفات التالية:		
	Type: Dry Charged Battery	النوع: بطارية شحن جافة		
	Nominal voltage: 12V	الجهد الاسمي: 12 فولت		
1	Capacity: 90Ah	الطاقة Ah90	Lump Sum	
	Dimensions: (L) 305 x 173 x (H) 225 mm	الأبعاد: (طول) 305 × 173 × (ارتفاع) 225 ملم		
	Net weight: 12.5kg	الوزنِ الصافي: 12.5 كغم		
	ABS container	حاوية ABS		
	99.99% lead plate	99.99 ٪ لوحة الرصاص		
	Supply Tire (2 pieces) compatible with Tractor New Holland, with the	تجهيز إطار (قطعتين) متوافقة مع Tractor New Holland ،		
	following specifications:	بالمواصفات التالية:		
	Size: 750-18	الحجم: 750-18		
	Ply rating: 8	تصنيف رقائق: 8	_	
2	S.W: 205 mm	العرض الجانبي : 205 ملم	Lump Sum	
	O.D:(860 mm)	القطر الخارجي: (860 ملم)		
	Max Load(kgs): 650 - 970	الحمولة القصوى (كغم): 650 - 970		
	Pressure: 200-370	الضغط: 200-370		
	Contain inner tube	تحتوي على أنبوب داخلي		
	Supply air filter (small,Large) compatible with Tractor New Holland, with the	تجهيز فلتر هواء (صغير ، كبير) متوافق مع New Holland Tractor ،		
	following specifications:	بالمواصفات التالية:		
3	Small air filter	فلتر الهواء الصغير ١٨٥٩ - ١٨ - ١٨٥٩ - ١٨ - ١٨٥٩ -	Lump	
	No.47135975	No.47135975	Sum	
	Height 319 mm	ارتفاع 319 ملم التاريان ما م		
	Outside diameter 83 mm	القطر الخارجي 83 ملم		



	Large air filter	فلتر الهواء الكبير Al- 20510227		
	No.26510337	No.26510337 الارتفاع: 150 ملم		
	Height: 150 mm	الارتفاع: 150 ملم العمق: 350 ملم		
	Depth: 350 mm	,		
	Weight: 0.78 kg	الوزن: 0.78 كغم تجهيز فلتر كاز (قطعتين) المتوافق مع Holland Tractor New ،		
	Supply fuel filter (2 Pieces)compatible with Tractor New Holland, with the following specifications:	بهر قدر حار (قطعين) المتوافق مع Hollarid Hactor New ،		
	Type: F1014	بالمواصفات الحابية. النوع: F1014	Lump	
4	OD: 93 mm	القطر الخارجي: (93 ملم)	Sum	
	Height: 249 mm	العطر المصاربي. (35 ملم) الارتفاع: 249 ملم	Juili	
	Thread Size: 1"-14	١٤٠٥ ممحجم الخيوط: 1 "-14		
	Supply Tire (2 pieces) compatible with Tractor New Holland, with the	تحبيم المحبوط المحبوط المحبوط المحبوط المحبير المحبوط		
	following specifications:	بهر إحار (عصفين) مواعد مع Tioliand Tractor ivew بالمواصفات التالية:		
	Size (16*750)	الحجم (16 * 750)		
5	Width: 175 - 195mm	. ١٦٥٠ - 195 ملم العرض: 175 - 195 ملم	Lump	
	Diameter 16"-20"	القطر 16 "-20"	Sum	
	Material: Natural Rubber	ر 10 - 10 المواط الطبيعي المواد: المطاط الطبيعي		
	Contain inner tube	تحتوی علی أنبوب داخلی		
		ON Model: 2005 Chassis No. : BUY03032:		
	Supply battery (1 piece) compatible with Tractor FERGUSON	تجهيز بطارية (1 قطعة) متوافقة مع الجرار FERGUSON		
	Model: 2005, with the following specifications:	موديل: 2005 ،بالمواصفات التالية:		
	Type: Dry Charged Battery	النوع: بطارية شحن جافة		
1	Nominal voltage: 12V	الجهد الاسمي:12 فولت	Lump Cum	
1	Capacity: 90Ah	الطاقة : Ah90	Lump Sum	
	Dimensions: (L) 305 x 173 x (H) 22+D32:D335mm	الأبعاد: (طول) 305 × 173 × (ارتفاع) D33 + D335 : D33 ملم		
	Net weight: 12.5kg	الوزن الصافي: 12.5 كغم		
	Materials:	المواد:		



1	ABS container	حاوية ABS		1
	99.99% lead plate	99.99 ٪ لوحة الرصاص		
	Comply Tire (2 minors) compretible with Tractor FEDCLICON	FEDCHSON A. N. SHE (5 152) III III S		
	Supply Tire (2 pieces) compatible with Tractor FERGUSON	تجهيز اطار (2 قطعة) متوافق مع الجرار FERGUSON		
2	Model: 2005, with the following specifications:	موديل: 2005 ، بالمواصفات التالية:		
	Type tire: tube tire	نوع الاطار: اطار أنبوبي		
	Model Number: 18.4-30	رقم الموديل: 18.4-30		
	Certification: ISO9001	شهادة: ISO9001	Lump Sum	
	Maxloading: 4250 Kg	الحمولة القصوى: 4250 كغم		
	Tread depth: 40mm	عمق العجلة: 40 ملم		
	Ply Rating Of Tire: 16 Ply Rating	رقائق تصنيف الإطار: 16 رقائق تصنيف		
	Pressure: 310 Kpa	الضغط: 310 كيلو باسكال		
	Contain inner tube	تحتوي على أنبوب داخلي		
	Supply Hydraulic Single Jack Trailer with the following specifications:	تجهيز جك عربانة مفرد هيدروليكي بالمواصفات التالية:		
	Maximum Payload 5 to 10 Ton	الحمولة القصوى 5 إلى 10 طن		
	Material Iron	مادة الحديد		
	Body Tube Size 127 mm (5 Inch)	حجم جسم الانبوب 127 ملم (5 بوصة)		
	Close Center 26"	سنتر الغلق 26 "		
	Closed Length 26"	طول الغلق 26 "		
3	Cylinder Pin Size 32.5mm	حجم دبوس اسطوانة 32.5ملم	Lump	
	Open Center 59"	مركز الفتح 59 "	Sum	
	Open Length 59"	طول الفتح 59 "		
	Length 21.5 Inch	طول 21.5 بوصة		
	Piston Size OD 86.7mm x ID 76mm	حجم المكبس القطر الخارجي 86.7 ملم × القطر الداخلي 76 ملم		
	Pin Size Top 32.5mm x Bottom 38mm	الحجم الأعلى للدبوس 32.5 ملم × 38 ملم أسفل		
	Cylinder Size OD 127mm x ID 111mm.	حجم الاسطوانة ملم لقطر الخارجي 127 x القطر الداخلي 111 ملم.		
	Power Source : Power Hydraulic	مصدر الطاقة:الطاقة الهيدروليكية		



Usage :Tractor Trailer	الاستعمال: مقطورة (عربانة)جرار		
Supply filters compatible with Tractor FERGUSON	تجهيز فلاتر متوافقة مع الجرار FERGUSON		
Model: 2005, with the following specifications:	موديل: 2005 ، بالمواصفات التالية:		
Small fuel Filter:	فلتر الوقود الصغير:		
CAV 7111-296	CAV 7111-296		
HEIGHT: 70.4MM	الارتفاع: 70.4 ملم		
OUTER Diameter: 87.8MM.	القطر الخارجي: 87.8ملم .		
Large fuel Filte:	فلتر الوقود الكبير :		
No.7111-796	No.7111-796		
Type: Press Filter	النوع :فلتر ضغط		
Structure: Rotary filter	هیکل: فلتر دوار		
Weight: 0.5kg	الوزن: 0.5 كغم		
Certification: TS16949/SIO90001	شهادة: TS16949 / SIO90001	Lump	
4 OD*H: 83.5*110	القطر الخارجي بالارتفاع: 83.5 * 110	Sum	
Small air filter:	فلتر الهواء الصغير:		
No.47135975	No.47135975		
Height 319 mm	140.47 ا ارتفاع 319 ملم		
Outside diameter 83 mm	ارتفاع 115 ملم القطر الخارجي 83 ملم		
Large air filter:	المرابعي ول المرابعي المرابعي المرابع المرابع		
NO.26510337	NO.26510337		
Height: 150 mm	۱۸۵:200 ۱۰۵۵۰۱ الارتفاع: 150 ملم		
Depth : 350 mm	العمق: 350 ملم العمق: 350 ملم		
Weight: 0.78 kg	الوزن: 0.78 كغم		
- Oil Filter 4126435 :	روی. ۱۳۰۵ - - فلتر الزیت 4126435:		
Certificate latf 16949:2016	شهادة 16949 ا 2016		
Size 95*95 mm	حجم 95 * 95 ملم		



5	Supply Tire (2 pieces) compatible with Tractor FERGUSON Model: 2005,with the following specifications: Size (16*750) Width: 175 - 195mm Diameter 16"-20" Size: 750-16 Ply Rating 12 16 Material: Natural Rubber Contain inner tube	تجهيز إطار (2 قطعة) متوافق مع الجرار FERGUSON ، بالمواصفات التالية: الحجم (16 * 750) العجم : 175 - 195 ملم العرض: 175 - 195 ملم القطر 16 "-20" الحجم: 750-16 الحجم: 16 750 المواد: المطاط الطبيعي تحتوي على أنبوب داخلي	Lump Sum	
	Repairs of fractor i Encode	تجهیز بطاریة (عدد 1) متوافقة مع ساحبة (ترکتور) فرکسون مودیل		
	Supply battery (1 piece) compatible with Tractor FERGUSON	تبهير بساري راضات الالية: 2005 بالمو اصفات التالية:		
	Model: 2005, with the following specifications:	النوع: بطارية جافة قابلة للشحن		
	Type: Dry Charged Battery	الجهد الاسمى: 12 فولت		
	Nominal voltage: 12V	الطاقة : 90 أمبير		
1	Capacity: 90Ah	الأبعاد: (الطول) 305 × 173 × (الارتفاع) 225 ملم	Lump Sum	
	Dimensions: (L) 305 x 173 x (H) 225mm	الوزن الصافي: 12.5 كغم	·	
	Net weight: 12.5kg	المواد:		
	Materials:	حاوية ABS		
	ABS container	99.99 ٪ لوحة الرصاص		
	99.99% lead plate			
	Supply Tire (2 pieces) compatible with Tractor FERGUSON	تجهيز اطار (عدد 2) متوافقة مع ساحبة (تركتور) فركسون موديل 2005 بالمواصفات التالية:		
	Model: 2005, with the following specifications:	رووع الأطار : اطار انبوبي		
2	Type Tire: tube Tire	حجم : 18.4-30	Lump Sum	
	Size : 30 -18.4	شهادة: ISO9001	P	
	Certification: ISO9001	الحمولة القصوى: 4250 كغم		
	Maxloading: 4250 Kg	عمق العجلة: 40 ملم		



Tread depth: 40mm	تصنيف رقائق الإطار: 16		
Ply Rating Of Tire: 16	الضغط: 310 كيلو باسكال		
Pressure: 310 Kpa	تحتوي على انبوب داخلي		
Contain inner tube			
Supply materials, equipment, and labor to compress hydraulic hoses compatible with Tractor FERGUSON Model: 2005, with the following specifications:	تجهيز المواد والمعدات والعمالة لكبس صوندات الهيدروليك متوافقة مع ساحبة (تركتور) فركسون موديل 2005 بالمواصفات التالية:		
2 pieces/ length 2 meter hoses for Hydraulic Single Jack Trailer of the Hydraulic System:	2 قطعة / طول الصوندات 2 متر لمقطورة الجك الهيدروليكية واحدة النظام الهيدروليكي	Lump Sum	
Standby pressure 3447.4 kPa	ضغط الاستعداد 3447.4 كيلو باسكال	2 3.1.1.	
Maximum system pressure 20684.3 kPa	أقصىي ضغط النظام 20684.3 كيلو باسكال		
Output 200 L/min	الطاقة المنتجة 200 لتر / دقيقة		
Supply filters compatible with Tractor FERGUSON	تجهيز فلاتر متوافقة مع ساحبة (تركتور) فركسون موديل 2005 بالمواصفات التالية:		
Model: 2005, with the following specifications:	-فاتر كاز صغير CAV 7111-296		
,	l l		
Small fuel Filter:	,		
CAV 7111-296	, , ,		
HEIGHT: 70.4MM			
OUTER Diameter: 87.8MM.		Lump	
Large fuel Filte:	- 1	•	
No.7111-796			
Type: Press Filter	,		
••	·		
•			
· · ·	فلتر هواء صغير:		
	Ply Rating Of Tire: 16 Pressure: 310 Kpa Contain inner tube Supply materials, equipment, and labor to compress hydraulic hoses compatible with Tractor FERGUSON Model: 2005, with the following specifications: 2 pieces/ length 2 meter hoses for Hydraulic Single Jack Trailer of the Hydraulic System: Standby pressure 3447.4 kPa Maximum system pressure 20684.3 kPa Output 200 L/min Supply filters compatible with Tractor FERGUSON Model: 2005, with the following specifications: Small fuel Filter: CAV 7111-296 HEIGHT: 70.4MM OUTER Diameter: 87.8MM. Large fuel Filte:	Ply Rating Of Tire: 16 Pressure: 310 Kpa Contain inner tube Supply materials, equipment, and labor to compress hydraulic hoses compatible with Tractor FERGUSON Model: 2005, with the following specifications: 2 pieces/ length 2 meter hoses for Hydraulic Single Jack Trailer of the Hydraulic System: Standby pressure: 3447.4 kPa Maximum system pressure: 20684.3 kPa Output 200 L/min Supply filters compatible with Tractor FERGUSON Model: 2005, with the following specifications: 2 pieces/ length 2 meter hoses for Hydraulic Single Jack Trailer of the Hydraulic System: Standby pressure: 3447.4 kPa Maximum system pressure: 20684.3 kPa Output 200 L/min Supply filters compatible with Tractor FERGUSON Model: 2005, with the following specifications: CAV 7111-296 HEIGHT: 70.4MM OUTER Diameter: 87.8MM. Large fuel Filte: No.7111-796 OUTER Diameter: 87.8MM. Large fuel Filte: No.7111-796 Type: Press Filter TS16949 / Sl090001 Weight: 0.5kg Certification: TS16949/Sl090001	Ply Rating Of Tire: 16 Pressure: 310 Kpa Contain inner tube Supply materials, equipment, and labor to compress hydraulic hoses compatible with Tractor FERGUSON Model: 2005,with the following specifications: 2 pieces/ length 2 meter hoses for Hydraulic Single Jack Trailer of the Hydraulic System: Standby pressure: 3447.4 kPa Maximum system pressure: 20684.3 kPa Output 200 L/min Supply filters compatible with Tractor FERGUSON Model: 2005,with the following specifications: Example 100 Limin Supply filters compatible with Tractor FERGUSON Model: 2005,with the following specifications: CAV 7111-296 HEIGHT: 70.4MM OUTER Diameter: 87.8MM. Lump Lump Lump Lump Lump Lump Lump Lum



	Small air filter: No.47135975 Height 319 mm Outside diameter 83 mm Large air filter: NO.26510337 Height: 150 mm Depth: 350 mm Weight: 0.78 kg - Oil Filter NO.4126435 Certificate latf 16949:2016 Size 95*95 mm	القطر الخارجي 83 ملم -فلتر هواء كبير: NO.26510337 الارتفاع: 150 ملم العمق: 350 ملم الوزن: 0.78 كغم - فلتر الزيت: - فلتر الزيت: NO.4126435 شهادة NO.4126436 2016		
5	Supply fuel pump compatible with Tractor FERGUSON Model: 2005, with the following specifications: No.FDR 9084/5-9 Weight: 0.645 kg Number of mounting holes: 2 Mounting holes diameter: 9 mm	تجهيز فيت بمب متوافقة مع ساحبة (تركتور) فركسون موديل 2005 بالمواصفات التالية: 9 No.FDR 9084/5-9 الوزن: 0.645 كغم عدد فتحات التركيب: 2	Lump Sum	
6	Supply Tire (2 pieces) compatible with Tractor FERGUSON Model: 2005, with the following specifications: Size (16*750) Width: 175 - 195mm Diameter 16"-20" Size: 750-16 Ply Rating 12 16	تجهيز اطار (عدد 2) متوافق مع ساحبة (تركتور) فركسون موديل 2005 بالمواصفات التالية: الحجم (16*70) الحجم (175-175 ملم العرض: 175 - 195 ملم القطر 16 "-20" الحجم: 750-16 ملم الحجم: 750-16 المحمنة الرقائق: 12 16 المواد: المطاط الطبيعي	Lump Sum	



	Material: Natural Rubber Contain inner tube	تحتوي على انبوب داخلي			
	Repairs of Tractor New Holland Model: 2005 Chassis No. : HFB091147				
	Supply battery (1 piece) compatible with Tractor New Holland	تجهيز بطارية (عدد 1) متوافقة مع ساحبة (تركتور) نيو هو لاند موديل 2005 بالمواصفات التالية:			
	Model: 2005, with the following specifications:	النوع: بطارية جافة قابلة للشحن			
	Type: Dry Charged Battery	الجهد الاسمي: 12 فولت			
	Nominal voltage: 12V	الطاقة : 90 امبير			
1	Capacity: 90Ah	الأبعاد: (الطول) 305 × 173 × (الارتفاع) 225 ملم	Lump Sum		
	Dimensions: (L) 305 x 173 x (H) 225mm	الوزن الصافي: 12.5 كغم			
	Net weight: 12.5kg	المواد:			
	Materials:	حاوية ABS			
	ABS container	99.99 ٪ لوحة الرصاص			
	99.99% lead plate				
	Supply Tire (4 pieces) compatible with Tractor New Holland	تجهيز اطار (عدد 4)متوافق مع ساحبة (تركتور) نيو هو لاند موديل 2005 بالمو اصفات التالية:			
	Model: 2005, with the following specifications:	الحجم (16*750)			
	Size (16*750)	العرض: 175 - 195 ملم			
	Width: 175 - 195mm	القطر 16 "-20"			
2	Diameter 16"-20"	الحجم: 750-16	Lump Sum		
	Size: 750-16	تصنيف الرقائق: 12 16			
	Ply Rating 12 16	المواد: المطاط الطبيعي			
	Material: Natural Rubber	تحتوي على انبوب داخلي			
	Contain inner tube				
	Repairs of Garbage truck Mitsubishi Me	odel: 2011 Truck No. : 16211 Chassis No. : PEA21210	1		
	Supply Tire (4 pieces) compatible with Garbage truck	تجهيز اطار (عدد 4) متوافق مع شاحنة كبس النفايات ميتسوبيشي ديل 2013 الساسيات التالية	L C		
1	Mitsubishi Model: 2011, with the following specifications:	موديل 2011 بالمواصفات التالية: الحجم (16*750)	Lump Sum		



	Size (16*750) Width: 175 - 195mm Diameter 16"-20" Size: 750-16 Ply Rating 12 16 Material: Natural Rubber Contain inner tube	العرض: 175 - 195 ملم القطر 16 "-20" الحجم: 750-16 تصنيف الرقائق: 12 16 المواد: المطاط الطبيعي تحتوي على انبوب داخلي		
2	Supply battery (2 pieces) compatible with Garbage truck Mitsubishi Model: 2011,, with the following specifications: capacity 120 A Type: Dry Charged Battery Capacity:101 - 150AH, 120ah Voltage:12V Size:506mm*180mm*207mm*231mm, Weight:18.8kg CERTIFICATE:ISO9001.	تجهيز بطارية (عدد 2)متوافقة مع شاحنة كبس النفايات ميتسوبيشي موديل 2011 بالمواصفات التالية: الطاقة 120 أمبير الطاقة 120 أمبير النوع: بطارية جافة قابلة للشحن الجهد: 12 فولت الحجم: 506 ملم *180 ملم *231 ملم الوزن: 8.81كغم الوزن: 18.8كغم شهادة: 1809001.	Lump Sum	
	Repairs of Garbage true	ck MAZ Model: 2007 Truck No. :14294		
1	Supply Tire (4 pieces) compatible with Garbage truck MAZ Model: 2007,with the following specifications: Size (20*1200) Width: 255mm Certification:DOT, DOT ECE LABLE REACH GCC CCC ISO Diameter: 16" - 20" Standard rim:8.50 Weight(KG):85KG-96KG. Contain inner tube	تجهيز اطار (عدد 4) متوافق مع شاحنة كبس النفايات ماز موديل 2007 بالمواصفات التالية: الحجم (20 * 1200) الحجم (20 * 205) العرض: 255 ملم العرض: 255 ملم شهادة: ECE LABLE REACH GCC CCC ISO DOT ، DOT القطر: 16 "- 20" حافة القياسية: 8.50 الوزن (كغم): KG-96KG85. اتحتوي على أنبوب داخلي	Lump Sum	



2	Supply battery (2 pieces) compatible with Garbage truck MAZ Model: 2007, with the following specifications: Capacity 120 A Type: Dry Charged Battery Voltage:12V Size:506mm*180mm*207mm*231mm, Weight:18.8kg CERTIFICATE:ISO9001.	تجهيز بطارية (عدد 2) متوافقة مع شاحنة كبس النفايات ماز موديل 2007 بالمواصفات التالية: الطاقة 120 أمبير النوع: بطارية جافة قابلة للشحن الجهد: 12 فولت الحجم: 506 ملم *180 ملم *231 ملم الوزن: 18.8كغم الهذة: 18.9001.	Lump Sum	
Kepair	s of Garbage truck MAZ Model: 2007 Truck No. :14293	2007 1. 1 11111 67:12 77:17 /4 111		
1	Supply Tire (4 pieces) compatible with Garbage truck MAZ Model: 2007,with the following specifications: Size (20*1200) Width: 255mm Certification: DOT, DOT ECE LABLE REACH GCC CCC ISO Diameter: 16" - 20" Standard rim:8.50 Weight(KG):85KG-96KG. Contain inner tube	تجهيز اطار (عدد 4) متوافقة مع شاحنة كبس النفايات ماز موديل 2007 بالمواصفات التالية: الحجم (20 * 1200) العرض: 255 ملم العرض: 255 ملم شهادة: ECE LABLE REACH GCC CCC ISO DOT ، DOT القطر: 16 "- 20" حافة القياسية: 8.50 الوزن: (كغم) KG-96KG85.	Lump Sum	
2	Supply battery (2 pieces) compatible with Garbage truck MAZ Model: 2007,with the following specifications: Capacity 120 A Type: Dry Charged Battery Voltage:12V Size:506mm*180mm*207mm*231mm, Weight:18.8kg	تجهيز بطارية (عدد 2) متوافقة مع شاحنة كبس النفايات ماز موديل 2007 بالمواصفات التالية: الطاقة 120 أمبير الطاقة 120 أمبير النوع: بطارية جافة قابلة للشحن الجهد: 12 فولت الحجم: 506 ملم *180 ملم *231 ملم الوزن: 18.8كغم الهزدة: 18.9كغم	Lump Sum	



1	CERTIFICATE:ISO9001.			
3	Supply materials, equipment, and labor to replace Hydraulic Piston Pump compatible with Garbage truck MAZ Model: 2007, with the following specifications: Type: Hydraulic Piston Pump Model: F1-40-R / F1-80-R Maximum Flow Rate: 100 - 130 L/Min Maximum pressure: 350-400 bar Max. Speed: 2000 - 2400 RPM Max. Input: 46 - 66 Kw Geometric displacement: 38.7 - 78.2 cm3/re Should be connected to the gearbox	تجهيز المواد والمعدات والعمالة لاستبدال مضخة المكبس الهيدروليكي المتوافقة مع شاحنة كبس النفايات ماز موديل 2007 بالمواصفات التالية النوع: مضخة المكبس الهيدروليكي الموديل 2007 - 1-30 الموديل 13-8-14 الموديل 100 - 130 لتر / دقيقة الحد الأقصى لمعدل التدفق: 100 - 130 لتر / دقيقة أقصى ضغط: 350-400 بار السرعة القصوى: 2000 - 2400 دورة في الدقيقة الإدخال الاقصى: 46 - 66 كيلو واط الإزاحة الهندسية: 38.7 - 78.2 سم 3 / إعادة يجب ربط المضخة الهيدروليكية بصندوق التروس.	Lump Sum	
		Total price USD		





BIDDER'S ETHICAL DECLARATION ACTED Iraq

<u>Date</u> :
Tender N°: T/10DJY/D13/QIP/ERB/27052019/001
Bidder's name:
Bidder's address:
CODE OF CONDUCT:

1. Labour Standards

The labour standards in this code are based on the conventions of the International Labour Organisation (ILO).

Employment is freely chosen

There is no forced, bonded or involuntary prison labour. Workers are not required to lodge `deposits' or their identity papers with the employer and are free to leave their employer after reasonable notice.

Freedom of association and the right to collective bargaining are respected

Workers, without distinction, have the right to join or form trade unions of their own choosing and to bargain collectively. The employer adopts an open attitude towards the legitimate activities of trade unions. Workers representatives are not discriminated against and have access to carry out their representative functions in the workplace. Where the right to freedom of association and collective bargaining is restricted under law, the employer facilitates, and does not hinder, the development of parallel means for independent and free association and bargaining.

Working conditions are safe and hygienic

A safe and hygienic working environment shall be provided, bearing in mind the prevailing knowledge of the industry and of any specific hazards. Adequate steps shall be taken to prevent accidents and injury to health arising out of, associated with, or occurring in the course of work, by minimising, so far as is reasonably practicable, the causes of hazards inherent in the working environment. Workers shall receive regular and recorded health and safety training, and such training shall be repeated for new or reassigned workers. Access to clean toilet facilities and potable water and, if appropriate, sanitary facilities for food storage shall be provided. Accommodation, where provided, shall be clean, safe, and meet the basic needs of the workers. The company observing the standards shall assign responsibility for health and safety to a senior management representative.

Child Labour shall not be used

There shall be no new recruitment of child labour. Companies shall develop or participate in and contribute to policies and programmes, which provide for the transition of any child found to be performing child labour to enable her/him to attend and remain in quality education until no longer a child. Children and young people under 18 years of age shall not be employed at night or in hazardous conditions. These policies and procedures shall conform to the provisions of the relevant International Labour Organisation (ILO) standards.

Living wages are paid





Wages and benefits paid for a standard working week meet, at a minimum, national legal standards or industry benchmarks. In any event wages should always be high enough to meet basic needs and to provide some discretionary income. All workers shall be provided with written and understandable information about their employment conditions in respect to wages before they enter employment, and about the particulars of their wages for the pay period concerned each time that they are paid. Deductions from wages as a disciplinary measure shall not be permitted nor shall any deductions from wages not provided for by national law be permitted without the express and informed permission of the worker concerned. All disciplinary measures should be recorded.

Working hours are not excessive

Working hours comply with national laws and benchmark industry standards, whichever affords greater protection. In any event, workers shall not on a regular basis be required to work in excess of the local legal working hours. Overtime shall be voluntary, shall not exceed local legal limits, shall not be demanded on a regular basis and shall always be compensated at a premium rate.

No discrimination is practised

There is no discrimination in hiring, compensation, access to training, promotion, termination or retirement based on race, caste, national origin, religion, age, disability, gender, marital status, sexual orientation, union membership or political affiliation.

Regular employment is provided

To every extent possible work performed must be on the basis of a recognised employment relationship established through national law and practice. Obligations to employees under labour or social security laws and regulations arising from the regular employment relationship shall not be avoided through the use of labour-only contracting, sub-contracting or home-working arrangements, or through apprenticeship schemes where there is no real intent to impart skills or provide regular employment, nor shall any such obligations be avoided through the excessive use of fixed-term contracts of employment.

No harsh or inhumane treatment is allowed

Physical abuse or discipline, the threat of physical abuse, sexual or other harassment and verbal abuse or other forms of intimidation shall be prohibited.

B. Environmental Standards

Suppliers should as a minimum comply with all statutory and other legal requirements relating to the environmental impacts of their business. Detailed performance standards are a matter for suppliers, but should address at least the following:

Waste Management

Waste is minimised and items recycled whenever this is practicable. Effective controls of waste in respect of ground, air, and water pollution are adopted. In the case of hazardous materials, emergency response plans are in place.

Packaging and Paper

Undue and unnecessary use of materials is avoided, and recycled materials used whenever appropriate.





Conservation

Processes and activities are monitored and modified as necessary to ensure that conservation of scarce resources, including water, flora and fauna and productive land in certain situations.

Energy Use

All production and delivery processes, including the use of heating, ventilation, lighting, IT systems and transportation, are based on the need to maximise efficient energy use and to minimise harmful emissions.

Safety precautions for transport and cargo handling

All transport and cargo handling processes are based on the need to maximise safety precautions and to minimise potential injuries to ACTED beneficiaries and staff as well as the suppliers' employees or those of its subcontractors.

C. Business Behaviour

The conduct of the supplier should not violate the basic rights of ACTED's beneficiaries.

The supplier should not be engaged

- 1. in the manufacture of arms
- 2. in the sale of arms to governments which systematically violate the human rights of their citizens; or where there is internal armed conflict or major tensions; or where the sale of arms may jeopardise regional peace and security.

D. ACTED procurement rules and regulations

Suppliers should comply with ACTED procurement rules and regulations outlines in ACTED Logistics Manual Version 1.2. or above. In particular, ACTED's procurement policy set out in Section 2.1 and 2.4. (Contract awarding). By doing so, Suppliers acknowledge that they do not find themselves in any of the situations of exclusion as referred to under section 2.4.2.

Operating Principles

The implementation of the Code of Conduct will be a shared responsibility between ACTED and its suppliers, informed by a number of operating principles, which will be reviewed from time to time.

ACTED will:

- 1. Assign responsibility for ensuring compliance with the Code of Conduct to a senior manager.
- 2. Communicate its commitment to the Code of Conduct to employees, supporters and donors, as well as to all suppliers of goods and services.
- 3. Make appropriate human and financial resources available to meet its stated commitments, including training and guidelines for relevant personnel.
- 4. Provide guidance and reasonable non-financial support to suppliers who genuinely seek to promote and implement the Code standards in their own business and in the relevant supply chains, within available resources.
- 5. Adopt appropriate methods and systems for monitoring and verifying the achievement of the standards.
- 6. Seek to maximise the beneficial effect of the resources available, e.g. by collaborating with other NGOs, and by prioritising the most likely locations of non-compliance.

ACTED expects suppliers to:

1. Accept responsibility for labour and environmental conditions under which products are made and services provided. This includes all work contracted or sub-contracted and that conducted by home or other out-workers.



- 2. Assign responsibility for implementing the Code of Conduct to a senior manager.
- Make a written Statement of Intent regarding the company's policy in relation to the Code of Conduct and how it will be implemented, and communicate this to staff and suppliers as well as to ACTED.

Both parties will

- Require the immediate cessation of serious breaches of the Code and, where these persist, terminate the business relationship.
- Seek to ensure all employees are aware of their rights and involved in the decisions which affect them.
- 3. Avoid discriminating against enterprises in developing countries.
- 4. Recognise official regulation and inspection of workplace standards, and the interests of legitimate trades unions and other representative organisations.
- Seek arbitration in the case of unresolved disputes.

Qualifications to the Policy Statement

The humanitarian imperative is paramount. Where speed of deployment is essential in saving lives, ACTED will purchase necessary goods and services from the most appropriate available source.

ACTED can accept neither uncontrolled cost increases nor drops in quality. It accepts appropriate internal costs but will work with suppliers to achieve required ethical standards as far as possible at no increase in cost or decrease in quality.

I undersigned the above Code of Conduct and to commit to comply with the in my own company and those of my suppliers.	, agree to adopt e labour and environmental standards specified, both
Name & Position of Bidder's authorized representative	
Authorized signature and stamp	



Form PRO-06-01 Version 1.3

BIDDER'S QUESTIONNAIRE ACTED IRAQ

Date:

Tender N°: T/10DJY/D13/QIP/ERB/27052019/001

	DADT I. INFORMATION	
	PART I: INFORMATION	
A. Company Details and General Inform	nation	
Name of Company	Trading As	
Address		
(headquarters)	Telephone	
Zip Code	_	
(headquarters)	Fax	
City (headquarters)	E-mail address 1	
PO Box	E-mail address 2	
Country		
(headquarters)	Website address	
Parent Company or	Subsidiaries/ Associates/	
name of owner	Overseas Representative	
Sales Person's Name	Sales Person's Position	
Sales Person's phone	Sales Persons' E-mail	
'		iroptora or Poord of Trustopa
	Chairman, Treasurer or Secretary of the Board of D	irectors of board of trustees
Name (as in passport	Date of birth (mm/dd/yyyy)	
or other government- issued photo ID)		
Government-issued	Tuno of ID	
photo Identification	Type of ID	
Document (ID) number		
ID country of issuance	Rank or title in organization	
Other names used	Gender (e.g. male, female)	
(nicknames or	Gerider (e.g. maie, remaie)	
pseudonyms not listed		
as "Name")		
Current employer and	Occupation	
job title:	оссирано	
Address of residence	Citizenship(s)	
Province/Region	E-mail address	
Is the individual a U.S.	□No Professional Licenses –	
citizen or legal	State Issued Certifications	
permanent resident?		
Management of the company: CEO, Executive	Director, Deputy Director, President or Vice-President	lent
Name (as in passport	Date of birth (mm/dd/yyyy)	
or other government-	, , , , , , , , , , , , , , , , , , , ,	
issued photo ID)		
Government-issued	type of ID	
photo Identification		
Document (ID) number		
ID country of issuance	Rank or title in organization	
Other names used	Gender (e.g. male, female)	
(nicknames or		
pseudonyms not listed		
as "Name")	Ossuration	
Current employer and job title:	Occupation	
Address of residence	Citizenship(s)	
Province/Region	E-mail addresses	



Is the individual a U.S. citizen or legal permanent resident?	□Yes □No	Professional Licenses – State Issued Certifications			
Management of the company: Chief Finance Officer or Chief Accountant					
Name (as in passport	eury: erner i mariee erneer er erner riee	Date of birth (mm/dd/yyyy)			
or other government- issued photo ID)					
Government-issued		type of ID			
photo Identification					
Document (ID) number		Dealt of file in annuing file			
ID country of issuance Other names used		Rank or title in organization Gender (e.g. male, female)			
(nicknames or		Gender (e.g. maie, iemaie)			
pseudonyms not listed					
as "Name")					
Current employer and job title:		Occupation			
Address of residence		Citizenship(s)			
Province/Region		E-mail addresses			
Is the individual a U.S.		Professional Licenses –			
citizen or legal	□Yes □No	State Issued Certifications			
permanent resident?					
Company's staff & insura	nnce				
No. Full Time		Employee average work wage per hour:			
Employees:		Any employee(s) with relatives working with			
% of Men to Women:		ACTED?	□Yes □No		
No. of Children:		What is the legal minimum wage paid?	□Yes □No		
In what capacity?		Are paid vacations offered?	□Yes □No		
What are their ages?		Are flexible working hours offered?	□Yes □No		
Name of insurance		Staff covered by bealth incurrence?			
company:		Staff covered by health insurance?	□Yes □No		
Description of the Compa	any				
Type of Business	☐ Manufacturing	☐ Manufacturing			
(multiple choices	☐ Consulting Company	☐ Trader			
possible):	☐ Authorized Agent ☐ Other, please specify :				
,	-				
Sector of Business	☐ Goods / supplies	☐ Works			
(multiple choices	☐ Services				
possible):	☐ Equipment	☐ Other, please specify :			
Year Established:		Country of registration:			
Licence number:		Valid until:			
	☐ English	☐ Arabic			
Working languages:	☐ French	☐ Chinese			
Working languages.					
	☐ Spanish	Other, please specify :			
Ta abaical da ayaranta	☐ English	☐ Arabic			
Technical documents available in:	☐ French	☐ Chinese			
avaliable III.	☐ Spanish	☐ Other, please specify :			
B. Financial Informat	-	·,			
VAT Number:		Tax Number:			
Bank Name:	Bank Account Number:				
Bank Address:		Account Name:			
Swift/BIC number:		Standard Payment Terms:			



					1				
Has the	company been a	udited in the la	□Yes □No						
				Attach	ed				
Please attach a copy of the company's most recent Annual or Audited Financial Report Annual Value of Total Sales for the last 3 Years: Attached									
Year:			Year:		Year:				
USD: USD: USD									
Annual Value of Export Sales for the last 3 years Year: Year: Year:									
USD:			USD:		USD:				
C. Exp	erience		·		•				
Company's recent business with ACTED and/or other International Aid Agencies or United Nations Agencies:									
,,		Contact	D. (E. 1)	Value (USD) Dee		5 " "			
#	Organisation	person	Phone/E-mail	Goods/Works/Services	Value (US	<i>υ</i>)	Destination		
1									
2									
3									
4									
5									
	your company's r	main area of							
expertis What is	e? your company's t	nusiness							
coverag		วนบ แบบข	□ National □ Restricted to (specify location) :						
	h countries has yo								
	y exported and/or in the last 3 year								
	any other informa								
	trates your compa								
qualifica awards)	ations and experie	ence (eg.							
	national or intern	ational							
Trade/P	rofessional Organ	nisations of							
	our company is a								
	hnical Capabili	•	l				A44 l l		
	Quality Assuranc Certification/Qual						☐ Attached		
Docume		illication	☐ Attach						
International Offices/Representation									
	ow up to 10 of the	core Goods a	nd/or Services your	company sells:					
1) 6)									
2) 7)									
3) 8)									
4) 9) 5) 10)									
List the main assets of your company (trucks & heavy machines, heavy & valuable equipment, premises & warehouses, production sites									
etc.)									
2)	1) 6) 2) 7)								
	3) 8)								
4) 9)									
5)									
E. Miscellaneous									
Does your company have an Environmental Policy? (Yes/No)					□Y	es 🗆	∃No		
Does your company have an Ethical Trading Policy? (Yes/No)				lo)	□Y		∃No		
Does your company have an Anti-terrorist Policy? (Yes/No)					□Y	es □	∃No		



Is your company compliant with the EU General Data Protection Regulation (or equivalent)? (Yes/No)					Yes □No			
If you answered yes to the above two questions, please attach copies of your policy:						☐ Attached		
Has your company ever been bankrupt, or is in the process of being wound up, having its affairs administered by the courts, has entered into an arrangement with creditors, has suspended business activities, is the subject of proceedings concerning these matters, or is in any analogous situation arising from a similar procedure provided for in national law?						□Yes	□No	
If you answered yes, please provide details:								
Has your company ever as force of res judicata?	been convicted of	an offence concerning	its professional con	iduct by a ju	dgment which	□Yes	□No	
If you answered yes, please provide details:								
Has your company ever	been guilty of grav	e professional miscon	duct proven by othe	r means?		□Yes	□No	
If you answered yes, please provide details:								
Has your company ever payment of taxes in according those of the country whe	ordance with the la	w of the country in whi				□Yes	□No	
If you answered yes, please provide details:								
Has your company ever corruption, involvement i				udicata for f	raud,	□Yes	□No	
If you answered yes, please provide details:								
Has your company ever been declared to be in serious breach of contract for failure to comply with its contractual obligations, following another procurement procedure or grant award procedure financed by a donor country?						□Yes	□No	
If you answered yes, please provide details:								
Has your company ever been declared to be in serious breach of contract for failure to comply with its contractual obligations, following another procurement procedure or grant award procedure financed by a donor country?						□Yes	□No	
If you answered yes, please provide details:								
Has your company ever Aid Organisations (included)		e with any Governmer	t Agency, the United	d Nations, o	r International	□Yes	□No	
If you answered yes, please provide details: Do you agree with			Г					
terms of payment of 30 days?	□Yes	□No	Do you accept vis external auditors t			□Yes	□No	
PART II: CERTIFI	CATION							
I, the undersigned warrant that the information provided in this form is correct, and in the event of changes, details will be provided to ACTED as soon as possible in writing. I also understand that ACTED does not do business with companies, or any affiliates or subsidiaries, which engage in any practices that are in breach of ACTED's Child Protection, Sexual Exploitation and Abuse Protection, Conflict of Interest, Anti-fraud, Anti-terrorism Policy and Data Protection Policies (available on request).								
Name:			Date:					
Title/Position			Place:					
E-mail address (for contact for verification purposes):			Signature:					



Phone number (for contact for verification purposes):			Company Stamp:		
Check list of supporting documents					For ACTED use only
1)	Trading license		☐ Atta	ached	☐ Checked
2)	VAT registration/tax clearance cert	ificate	☐ Atta	ached	☐ Checked
3)	Company profile		☐ Atta	ached	☐ Checked
4)	Proof of trading/dealership/agent		☐ Atta	ached	☐ Checked
5)	Evidence of similar contracts		☐ Atta	ached	☐ Checked
6)	6) References			ached	☐ Checked
7)	7) Particulars of CEO and key personnel			ached	☐ Checked
8)	8) Articles of Association & Certificate of incorporation			ached	☐ Checked
9)				ached	☐ Checked
10) Other (specify):			☐ Atta	ached	☐ Checked
Compa	any Name:				
Authori	ized Representative Name:				
Signature:					
Stamp:	•				





BIDDER'S CHECK LIST ACTED Iraq

Date:

Tender N°: T/10DJY/D13/QIP/ERB/27052019/001

BEFORE SENDING YOUR BIDDING DOCUMENTS, PLEASE CHECK THAT EACH OF THE FOLLOWING ITEM IS COMPLETE AND RESPECTS THE FOLLOWING CRITERIA:

Description		To be filled in by Bidder		For ACTED use only (to be filled in by Purchase Committee)			
		Included		sent	Comments		
	Yes	No	Yes	No	Comments		
 An original and one copy of the bid has been provided (compulsory for one original) 							
2. PART 1 (form PRO-05) – Instructions to Bidders is attached, filled, signed and stamped by the supplier. (compulsory)							
3. PART 2 (form PRO-06) –Offer Form is attached, filled, signed and stamped by the supplier. (compulsory)							
4. The prices in the Offer Form are in USD (compulsory)							
5. PART 3 (form PRO-06-01) – Bidders Questionnaire Form is attached, filled, signed and stamped by the supplier. (compulsory)							
6. PART 4 – (form PRO-06-02) – Bidder's Ethical Declaration is attached, filled, signed and stamped by the supplier. (compulsory)							
7. The Bidding documents are filled in English. (compulsory)							
8. ANNEXES – Proofs of past performances in a similar field of activity (e.g. past deliveries of similar items) are provided (compulsory)							
9. ANNEXES – A Copy of Company registration documents and license are included (compulsory)							

Name & Position of Bidder's authorized representative		_
Authorized signature and stamp		